

ESD-compliant cleaning

More protection and security
for ESD-sensitive environments



Efficient cleaning of EPA protection zones with EPAclean[®]

To maintain ESD functionality, contaminants and debris must be removed from EPA surfaces. Conventional cleaners can impair the ESD properties through additives or residues, so that ESD safety is no longer given.

With EPAclean[®], you can clean your EPA protection zones thoroughly and ESD-safely.



Discover our large selection of products on the subject of ESD cleaning online:

<https://www.compumet.ch/Products/ESD-Protection/Cleaning/>

- Maintenance cleaning
- Product cleaning
- Hygiene & disinfection
- Antistatic cleaning & coating
- Cleaning of printed circuit boards and metal parts

All product information can be found in our webshop under www.compumet.ch. Just enter the number of the green **dpvlink** in the search box.

EPAclean[®] ESD Cleaner professional

Ready-to-use for uncomplicated cleaning of all ESD surfaces



Regular cleaning with ESD Cleaner professional ensures the ESD functionality of the surfaces in the EPA zone. This cleaner does not leave a film and is also suitable for transparent surfaces.

Properties:

- Ready-to-use mixture
- Binds loose dust and fine dirt in a hygienic way
- Cleans streak-free and does not form a film
- Spray nozzle allows for mist-damp wiping through controlled and well-dosed cleaner dispensing
- Overdosing and swelling effects caused by excessive moisture are prevented
- Surface is dry and usable again in a short time
- pH 7.5

Container sizes:

- Spray bottle, 1 liter
- Refill canister, 5 liters

ESD Cleaner professional
dpvlink 22449

**EPAclean[®]
ESD Floor Cleaner professional**

Highly efficient concentrate for maintenance cleaning of ESD floors made of PVC



The ESD Floor Cleaner professional is suitable for the maintenance cleaning of floor coverings. This removes residues without damaging the conductive surface. At the same time, the concentrate is extremely economical.

Properties:

- Concentrate for diluted use
- Efficient dilution ratio 1:200
- Excellent dirt binding even with greasy residues
- No leaching of the surface
- No formation of gray haze
- Streak-free cleaning
- pH 8.5
- Consumption approx. 0.1 liters per 100 m² (at dilution of 1:200)

Container size:

- Canister, 10 liters

ESD Floor Cleaner professional
[dpvlink 22452](#)

**EPAclean[®]
ESD Basic Cleaner professional**

Concentrate for the gentle and effective basic cleaning of ESD floors



If a thorough cleaning is required, excellent results can be achieved with the ESD basic cleaner professional. This can be used to remove even the heaviest dirt and wax residues from floors.

Properties:

- Concentrate for diluted use
- Efficient dilution ratio 1:10
- For the removal of waxes, wiping care products, care coatings as well as adhesive residues and building dirt during final cleaning with factory PU coating
- Strong solubility
- Low alkalinity that is gentle on the material
- pH 10
- Consumption approx. 3 liters per 100 m² (at dilution of 1:10)

Container size:

- Canister, 5 liters

ESD Basic cleaner professional
[dpvlink 22454](#)

Your System Supplier for Electronics Manufacturing

- ESD Management
- ESD Footwear
- ESD Clothes
- Cleanroom
- ESD Protection
- Measurement and Tests
- ESD Chairs
- ESD Workplace Systems
- ESD Packaging
- ESD Storage and Transport
- Tools
- PCB Processing
- Component Processing
- Mounting Accessories
- Dispensing Equipment
- Workstation Lighting
- Optical Inspection Systems
- Cleaning
- Chemistry
- Soldering Technology

Compumet AG
Theodorshofweg 22
4310 Rheinfelden, Switzerland

Phone: +41 (0)61 836 10 50
E-Mail: info@compumet.ch
Internet: www.compumet.ch

Your Contact:

SWITZERLAND | LIECHTENSTEIN

Compumet AG
Phone: +41 (0)61 836 10 50
E-Mail: info@compumet.ch

EUROPE | INTERNATIONAL

DPV Elektronik-Service GmbH
Herregrundstr. 1
75031 Eppingen, Germany
Phone: +49 (0)7262 9163-200
E-Mail: export@dpv-elektronik.de
Internet: www.dpv-elektronik.de



Explore our
product range online:
www.compumet.ch